

GRES PANIA
CERAMICA

BELLVER
PORCELÁNICO
PORCELAIN TILES

45X90

17³/₄" X 35⁷/₁₆"

45X45

17³/₄" X 17³/₄"

30X60

11¹³/₁₆" X 23⁵/₈"

30X30

11¹³/₁₆" X 11¹³/₁₆"




III Bellver beige 30x60 - Muralla beige 30x60 - Almena beige 30x30
≡ Bellver beige 45X45 - Almena beige 30x30



BELLVER BEIGE


PORCELÁNICO



45X90 Bellver
Beige 54BE77R (08-09)



45X45 Bellver
Beige 42BV-78 (07-74)



30X60 Bellver
Beige 46BV-72 (07-81)



30X30 Bellver
Beige 41BV-70 (07-60)




30X60 Muralla
Beige 46MR52R (05-39)




30X30 Almena
Beige 41BV70A (09-05)




30X30 Musa Fossil
Beige 69MU-FB (40-40)



● Peldaño Escuadra
30x30 (13-97)
30x90 (20-40)




● Peldaño Escuadra Ang.
30x30 (20-60)
30x90 (20-50)



● Rodapié
8x30 (10-65)
8x45 (11-81)

BELLVER MARRON


PORCELÁNICO



45X90 Bellver
Marrón 54BE27R (08-09)



45X45 Bellver
Marrón 42BV-28 (07-74)



30X60 Bellver
Marrón 46BV-22 (07-81)



30X30 Bellver
Marrón 41BV-20 (07-60)



30X60 Muralla
Marrón 46MR22R (05-39)




30X30 Almena
Marrón 41BV20A (09-05)




26,4X27,4 Musa Exagono
Marrón 69MU-EM (40-70)




30X30 Musa Rectangular
Marrón 69MU-RM (40-40)



● Peldaño Escuadra
30x30 (13-97)
30x90 (20-40)




● Peldaño Escuadra Ang.
30x30 (20-60)
30x90 (20-50)



● Rodapié
8x30 (10-65)
8x45 (11-81)

BELLVER GRIS


PORCELÁNICO



45X90 Bellver
Gris 54BE37R [08-09]



45X45 Bellver
Gris 42BV-38 [07-74]



30X60 Bellver
Gris 46BV-32 [07-81]



30X30 Bellver
Gris 41BV-30 [07-60]



30X60 Muralla
Gris 46MR32R [05-39]



30X30 Almena
Gris 41BV30A [09-05]




30X30 Musa Fossil
Antracita 69MU-FA [40-40]




26,4X27,4 Musa Exagono
Negro 69MU-EN [40-70]



Peldaño Escuadra
30x30 [13-97]
30x90 [20-40]





Peldaño Escuadra Ang.
30x30 [20-60]
30x90 [20-50]




Rodapié
8x30 [10-65]
8x45 [11-81]




III Bellver gris 45x90



(1) 45x45	1 pzas.	0,202 m ²	8,258%
(2) 30x60	8 pzas.	1,44 m ²	58,727%
(3) 30x30	9 pzas.	0,81 m ²	33,034%
TOTAL	18 pzas.	2,452 m²	100%



(1) 45x45	1 pzas.	0,202 m ²	27,223%
(2) 30x60	2 pzas.	0,36 m ²	48,517%
(3) 30x30	2 pzas.	0,18 m ²	24,258%
TOTAL	5 pzas.	0,742 m²	100%



(1) 30x60	3 pzas.	0,540 m ²	58,54%
(2) 30x30	2 pzas.	0,180 m ²	19,517%
(2) 45x45	1 pzas.	0,202 m ²	21,95%
TOTAL	6 pzas.	0,9225 m²	100%

PACKING LIST

PACKAGING SPECIFICATIONS /
SPÉCIFICATIONS D'EMBALLAGE /
VERPACKUNGSDATEN /
SPECIFICHE DELL'IMBALLAGGIO /
SPECYFIKACJA PAKOWANIA /
ОПИСАНИЕ УПАКОВКИ

medida cm	nº pzas/box	m ² /box	kg/box	boxes/pallet	m ² /pallet	kg/pallet
45X90	3	1,22	32,96	27	32,94	889,92
45X45	5	1,01	24,30	66	66,66	1603,00
30X60	6	1,08	24,30	40	43,20	972,00
30X30	10	0,90	20,70	48	43,20	993,60
30X60 Muralla	6	1,08	25,80	40	43,20	1032,00
30X30 Almena	11	1,00	20,00	36	36,00	720,00

CARACTERÍSTICAS TÉCNICAS

TECHNICAL CHARACTERISTICS / CARACTÉRISTIQUES TECHNIQUES / TECHNISCHE EIGENSCHAFTEN / CARATTERISTICHE TECNICHE /
WŁAŚCIWOŚCI TECHNICZNE / ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

SERIE	REFERENCIA	UNE-EN ISO 10545-3 AA*	UNE-EN ISO 10545-4 R-F*	UNE-EN ISO 10545-9 R-CH-T*	UNE-EN ISO 10545-11 R-C*	UNE-EN ISO 10545-14 M*	UNE-EN ISO 10545-13			UNE-EN ISO 10545-7 PEI*	UNE-EN ISO 10545-6	UNE-EN ISO 10545-12 R-HE*	NORMA ASTM-C1028-96		UNE-ENV 12633/2003	DIN 51097	DIN 51130	NORMA BS 7676 PTV
							A-L*	A-P*	A*/B*				FD	FW				
BELLVER	BEIGE, MARRÓN, GRIS	< 0,2%	>50 N/mm ²	Resiste	Resiste	5	GA	GA	GLA	IV	-	Resiste	0,81	0,72	Clase 1	-	R10	28*

GRES PANIA

GRESPANIA S.A.
CV-16 Ctra. Castellón - Alcora
Km. 2,200
P.O. BOX 157
12080 CASTELLÓN - SPAIN
Tlf. +34 964 344 411
Fax. +34 964 344 401
mail@grespania.com
www.grespania.com

GRESPANIA S.A. uses a management system within its facilities of Nules and Castellón in accordance with ISO 9001:2008 certificate N° 44 100 127697 and ISO 14001:2004 certificate N° 44 104 127697

GRESPANIA S.A dispone de un sistema de gestión certificado de acuerdo a las normas ISO 9001:2008 certificado N° 44 100 127697 e ISO 14001:2004 certificado N° 44 104 127697 en sus plantas de NULES y CASTELLON